

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	("6233600" or "7093194").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:04
L2	2637	((creat\$4 or generat\$4 or format\$5) near2 (file or document or report or page)) with ((client or user) near2 (system or computer))) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L3	45	L2 and (server with code with trans\$6 with data) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L4	24	L2 and (server with code with trans\$6 with data) and network and ((send\$4 or trans\$6) near2 code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L5	24	L4 and ((send\$4 or trans\$6) near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L6	2	"20050165889"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L7	1	(web near2 log) with (script with (creat\$4 or generat\$4) with report)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L8	13	(web near2 log) and (script with (creat\$4 or generat\$4) with report)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07

L9	4	(web near2 log) and (script with (creat\$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L10	166	(script near2 (send or receiv\$4)) and ((creat \$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L11	20	(script near2 (send or receiv\$4)) and ((creat \$4 or generat\$4) with report) and @ad < "20010629" and (web with log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L12	0	((web near2 log) with (web near2 usage near2 report)) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L13	0	((web near2 log) same (web near2 usage near2 report)) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L14	0	(web near2 log) and (web near2 usage near2 report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L15	153	(web near2 log) and (web near2 (usage or hit)) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L16	10	(web near2 log) and (web near2 (usage or hit) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L17	2	"6112238".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07

L18	2	"5951642".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L19	2	"5787253".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L20	2	"6233600".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L21	1	707/100.ccls. and (script near2 (send or receiv\$4)) and ((creat \$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L22	3	709/201.ccls. and (script near2 (send or receiv\$4)) and ((creat \$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L23	8	707/102.ccls. and (script near2 (send or receiv\$4)) and ((creat \$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L24	2	707/101.ccls. and (script near2 (send or receiv\$4)) and ((creat \$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L25	22	707/10.ccls. and (script near2 (send or receiv\$4)) and ((creat \$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07

L26	5	709/219.cdis. and (script near2 (send or receiv\$4)) and ((creat \$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L27	5291	(application adj code) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L28	241	(application adj code) with (sen\$4 or transfer) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L29	32	(application adj code) with (sen\$4 or transfer) near2 (server) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L30	12	((application adj code) near2 (sen\$4 or transfer) near2 (server) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L31	6	((application adj code) near2 (sen\$4 or transfer) near2 (server) with (client or user)) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L32	12	((application adj code) near2 (sen\$4 or transfer) near2 server) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L33	23	((application adj code) with (sent or transfer) near2 server) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L34	124	((application adj (program or code)) with (sent or transfer) near2 server) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07

L35	2	((application adj (program or code)) with (sent or transfer) near2 server) and @ad < "20010629" and ((application adj data) with (sent or transfer) near2 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L36	3	((application adj (program or code)) with (sent or transfer) near2 server) and @ad < "20010629" and ((generat\$4 or creat\$4) adj2 report)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L37	5	((application adj (program or code)) with (sent or transfer) near2 server) and @ad < "20010629" and ((generat\$4 or creat\$4) near2 report)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L38	2637	((creat\$4 or generat\$4 or format\$5) near2 (file or document or report or page)) with ((client or user) near2 (system or computer))) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L39	45	L38 and (server with code with trans\$6 with data) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L40	24	L38 and (server with code with trans\$6 with data) and network and ((send\$4 or trans\$6) near2 code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L41	24	L40 and ((send\$4 or trans\$6) near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L42	2	"20050165889"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07

L43	1	(web near2 log) with (script with (creat\$4 or generat\$4) with report)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L44	13	(web near2 log) and (script with (creat\$4 or generat\$4) with report)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L45	4	(web near2 log) and (script with (creat\$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L46	166	(script near2 (send or receiv\$4)) and ((creat\$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L47	20	(script near2 (send or receiv\$4)) and ((creat\$4 or generat\$4) with report) and @ad < "20010629" and (web with log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L48	0	((web near2 log) with (web near2 usage near2 report)) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L49	0	((web near2 log) same (web near2 usage near2 report)) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L50	0	(web near2 log) and (web near2 usage near2 report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L51	153	(web near2 log) and (web near2 (usage or hit)) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07

L52	10	(web near2 log) and (web near2 (usage or hit) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L53	2	"6112238".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L54	2	"5951642".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L55	2	"5787253".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L56	2	"6233600".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L57	1	707/100.ccls. and (script near2 (send or receiv\$4)) and ((creat \$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L58	3	709/201.ccls. and (script near2 (send or receiv\$4)) and ((creat \$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L59	8	707/102.ccls. and (script near2 (send or receiv\$4)) and ((creat \$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L60	2	707/101.ccls. and (script near2 (send or receiv\$4)) and ((creat \$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07

L61	22	707/10.cdis. and (script near2 (send or receive\$4)) and ((creat \$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L62	5	709/219.cdis. and (script near2 (send or receive\$4)) and ((creat \$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L63	5291	((application adj code) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L64	241	((application adj code) with (sen\$4 or transfer) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L65	32	((application adj code) with (sen\$4 or transfer) near2 (server) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L66	12	((application adj code) near2 (sen\$4 or transfer) near2 (server) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L67	6	((application adj code) near2 (sen\$4 or transfer) near2 (server) with (client or user)) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L68	12	((application adj code) near2 (sen\$4 or transfer) near2 server) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L69	124	((application adj (program or code)) with (sent or transfer) near2 server) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07

L70	2	((application adj (program or code)) with (sent or transfer) near2 server) and @ad < "20010629" and ((application adj data) with (sent or transfer) near2 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L71	23	((application adj code) with (sent or transfer) near2 server) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L72	5	((application adj (program or code)) with (sent or transfer) near2 server) and @ad < "20010629" and ((generat\$4 or creat\$4) near2 report)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L73	3	((application adj (program or code)) with (sent or transfer) near2 server) and @ad < "20010629" and ((generat\$4 or creat\$4) adj2 report)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L74	146	@ad < "20010629" and ((generat\$4 or creat\$4) near2 report near2 client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L75	2637	((creat\$4 or generat\$4 or format\$5) near2 (file or document or report or page)) with ((client or user) near2 (system or computer))) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L76	0	L75 and (server with code with trans\$6 with data) and network and @ad < "20010629" and ((generat\$4 or creat\$4) near2 report near2 client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07

L77	47	((creat\$4 or generat\$4 or format\$5) near2 (file or document or report or page)) with ((client or user) near2 (system or computer))) and @ad < "20010629" and ((generat\$4 or creat\$4) near2 report near2 client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L78	4	("7093194" or "6480,891").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/06 13:07
L79	2	("7093194" or "6480,891").pn.	USPAT	OR	ON	2009/06/06 13:07
S1	2471	((creat\$4 or generat\$4 or format\$5) near2 (file or document or report or page)) with ((client or user) near2 (system or computer))) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 17:18
S2	42	S1 and (server with code with trans\$6 with data) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 17:17
S3	21	S1 and (server with code with trans\$6 with data) and network and ((send\$4 or trans\$6) near2 code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/26 17:15
S4	21	S3 and ((send\$4 or trans\$6) near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/26 17:16
S5	2	"20050165889"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 11:17

S6	0	(web near2 log) with (script with (creat\$4 or generat\$4) with report)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 11:19
S7	11	(web near2 log) and (script with (creat\$4 or generat\$4) with report)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 11:19
S8	4	(web near2 log) and (script with (creat\$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 11:22
S9	149	(script near2 (send or receiv\$4)) and ((creat\$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 10:15
S10	13	(script near2 (send or receiv\$4)) and ((creat\$4 or generat\$4) with report) and @ad < "20010629" and (web with log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 11:46
S11	0	((web near2 log) with (web near2 usage near2 report)) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 11:48
S12	0	((web near2 log) same (web near2 usage near2 report)) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 11:48
S13	0	(web near2 log) and (web near2 usage near2 report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 11:48
S14	130	(web near2 log) and (web near2 (usage or hit)) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 11:49

S15	10	(web near2 log) and (web near2 (usage or hit) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 16:51
S16	2	"6112238".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 08:29
S17	2	"5951642".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 16:52
S18	2	"5787253".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/28 16:52
S19	2	"6233600".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 08:29
S20	0	707/100.ccls. and (script near2 (send or receiv\$4)) and ((creat \$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 10:16
S21	2	709/201.ccls. and (script near2 (send or receiv\$4)) and ((creat \$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 10:35
S22	6	707/102.ccls. and (script near2 (send or receiv\$4)) and ((creat \$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 10:16
S23	1	707/101.ccls. and (script near2 (send or receiv\$4)) and ((creat \$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 10:21

S24	18	707/10.ccls. and (script near2 (send or receive\$4)) and ((creat \$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 10:21
S25	2	709/219.ccls. and (script near2 (send or receive\$4)) and ((creat \$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 10:35
S26	5159	(application adj code) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:11
S27	236	(application adj code) with (sen\$4 or transfer) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:12
S28	30	(application adj code) with (sen\$4 or transfer) near2 (server) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:12
S29	11	(application adj code) near2 (sen\$4 or transfer) near2 (server) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:13
S30	5	((application adj code) near2 (sen\$4 or transfer) near2 (server) with (client or user)) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:15
S31	11	((application adj code) near2 (sen\$4 or transfer) near2 server) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:27
S32	21	((application adj code) with (sent or transfer) near2 server) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:27

S33	123	((application adj (program or code)) with (sent or transfer) near2 server) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:29
S34	2	((application adj (program or code)) with (sent or transfer) near2 server) and @ad < "20010629" and ((application adj data) with (sent or transfer) near2 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:28
S35	3	((application adj (program or code)) with (sent or transfer) near2 server) and @ad < "20010629" and ((generat\$4 or creat\$4) adj2 report)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:30
S36	5	((application adj (program or code)) with (sent or transfer) near2 server) and @ad < "20010629" and ((generat\$4 or creat\$4) near2 report)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 13:30
S37	2550	((creat\$4 or generat\$4 or format\$5) near2 (file or document or report or page)) with ((client or user) near2 (system or computer))) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
S38	44	S37 and (server with code with trans\$6 with data) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
S39	23	S37 and (server with code with trans\$6 with data) and network and ((send\$4 or trans\$6) near2 code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
S40	23	S39 and ((send\$4 or trans\$6) near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55

S41	2	"20050165889"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
S42	0	(web near2 log) with (script with (creat\$4 or generat\$4) with report)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
S43	11	(web near2 log) and (script with (creat\$4 or generat\$4) with report)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
S44	4	(web near2 log) and (script with (creat\$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
S45	154	(script near2 (send or receiv\$4)) and ((creat \$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
S46	15	(script near2 (send or receiv\$4)) and ((creat \$4 or generat\$4) with report) and @ad < "20010629" and (web with log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
S47	0	((web near2 log) with (web near2 usage near2 report)) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
S48	0	((web near2 log) same (web near2 usage near2 report)) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
S49	0	(web near2 log) and (web near2 usage near2 report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55

S50	141	(web near2 log) and (web near2 (usage or hit)) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
S51	10	(web near2 log) and (web near2 (usage or hit) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
S52	2	"6112238".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
S53	2	"5951642".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
S54	2	"5787253".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
S55	2	"6233600".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
S56	0	707/100.ccls. and (script near2 (send or receiv\$4)) and ((creat \$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
S57	2	709/201.ccls. and (script near2 (send or receiv\$4)) and ((creat \$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
S58	6	707/102.ccls. and (script near2 (send or receiv\$4)) and ((creat \$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55

S59	1	707/101.cds. and (script near2 (send or receive\$4)) and ((creat \$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
S60	18	707/10.cds. and (script near2 (send or receive\$4)) and ((creat \$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
S61	2	709/219.cds. and (script near2 (send or receive\$4)) and ((creat \$4 or generat\$4) with report) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
S62	5159	(application adj code) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
S63	236	(application adj code) with (sen\$4 or transfer) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
S64	30	(application adj code) with (sen\$4 or transfer) near2 (server) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
S65	11	(application adj code) near2 (sen\$4 or transfer) near2 (server) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
S66	5	((application adj code) near2 (sen\$4 or transfer) near2 (server) with (client or user)) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
S67	11	((application adj code) near2 (sen\$4 or transfer) near2 server) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55

S68	123	((application adj (program or code)) with (sent or transfer) near2 server) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
S69	2	((application adj (program or code)) with (sent or transfer) near2 server) and @ad < "20010629" and ((application adj data) with (sent or transfer) near2 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
S70	21	((application adj code) with (sent or transfer) near2 server) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
S71	5	((application adj (program or code)) with (sent or transfer) near2 server) and @ad < "20010629" and ((generat\$4 or creat\$4) near2 report)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 17:16
S72	3	((application adj (program or code)) with (sent or transfer) near2 server) and @ad < "20010629" and ((generat\$4 or creat\$4) adj2 report)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 15:55
S73	143	@ad < "20010629" and ((generat\$4 or creat\$4) near2 report near2 client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 17:16
S74	2550	((creat\$4 or generat\$4 or format\$5) near2 (file or document or report or page)) with ((client or user) near2 (system or computer))) and @ad < "20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 17:17

S75	0	S74 and (server with code with trans\$6 with data) and network and @ad < "20010629" and ((generat\$4 or creat\$4) near2 report near2 client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 17:17
S76	44	((((creat\$4 or generat\$4 or format\$5) near2 (file or document or report or page)) with ((client or user) near2 (system or computer))) and @ad < "20010629" and ((generat\$4 or creat\$4) near2 report near2 client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 17:46
S77	4	("7093194" or "6480,891").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/03 17:46
S78	2	("7093194" or "6480,891").pn.	USPAT	OR	ON	2007/05/03 17:46

6/ 6/ 2009 1:32:53 PM

C:\Documents and Settings\klu\My Documents\EAST\Workspaces\ 10799738.wsp